

**CLAIMS**

1. A container assembly comprising a container body defining a main compartment; a hollow insert located in the main compartment to  
5 form a secondary compartment within the main compartment; the secondary compartment having a closure means for sealing a liquid therein; and the container body having a lid to close the main compartment.
- 10 2. A container assembly as claimed in claim 1 in which the assembly includes locating means to locate the insert in the main compartment.
3. A container assembly as claimed in any one of the preceding  
15 claims in which the main compartment includes a sleeve insert.
4. A container assembly as claimed in claim 3 in which the sleeve insert is a split sleeve.
- 20 5. A container assembly as claimed in claim 4 in which the sleeve parts of the split sleeve are resiliently deformable.
6. A container assembly as claimed in any one of claims 3 to 5 in which the sleeve parts terminate in axially inwardly extending lips.

7. A container assembly as claimed in any one of claims 3 to 5 in which the sleeve parts have screw thread formations extending from an inside surface of each part.
- 5
8. A container assembly as claimed in any one of the preceding claims in which the insert is cylindrical.
9. A container assembly as claimed in any one of claims 2 to 8 in which the locating means is an outer screw thread on the insert for engagement with screw thread formations on a two part sleeve.
- 10
10. A container assembly as claimed in any one of claims 2 to 8 in which the insert has two cylindrical sections, a first section having a larger diameter than a second section.
- 15
11. A container assembly as claimed in claim 10 in which the insert has a cylindrical operatively lower hollow section and a frusto conical operatively upper hollow section.
- 20
12. A container assembly as claimed in any one of claims 10 or 11 in which the first cylindrical section of the insert is its engagement means for frictional engagement with an inwardly extending lip formation in which each part of the two part sleeve terminates.

13.A container assembly as claimed in any one of the preceding claims in which the container lid has a circumferentially extending slot for engagement with an upper edge of the container body.

5

14.A container assembly as claimed in claim 13 in which the upper edge of the container body is a right-circular upwardly extending rim section for engagement with the complementary shaped slot in the lid.

10

15.A container assembly as claimed in any one of the preceding claims in which the lid includes notification means.

15

16.A container assembly as claimed in any one of claims 1 to 14 in which notification means is provided in the form of a sticker located under the lid on the closure means.

17.A container assembly as claimed in any one of the preceding claims in which the closure means of the insert is a disc.

20